





All Quick Ship orders must be submitted with QS at the end of the part number. Orders without QS in the part number will be entered with a standard lead-time order.

SUSPENDED LUMINAIRES¹

		Housing	Lamp	Length	AC Mounting	Voltage ³	Circuiting/Wiring	Finish	Options
	GLIDE Side Baffle	G9B	2, 3, 4 T5	4'	AC48G1 = 1" Grid	UNV = Universal (120/277)	1C = Single Circuit 2C = Dual Circuit	W = White	QS = Quick Ship ²
			2, 3, 4 T5HO	8'	AC48G9 = 9/16" Grid				
			2, 3, 4 T8	12'	AC48GS = Screw Slot				
			Continuous		AC48JB = Junction Box AC48ST = Structure				
	GLIDE Center Parabolic Louver	G9P	1, 2, 3 T5	4'	AC48G1 = 1" Grid	UNV = Universal (120/277)	1C = Single Circuit 2C = Dual Circuit	W = White	QS = Quick Ship ²
			1, 2, 3 T5HO	8'	AC48G9 = 9/16" Grid				
			1, 2, 3 T8	Continuous	AC48GS = Screw Slot				
					AC48JB = Junction Box AC48ST = Structure				
	GLIDE Perforated	G9R	1, 2, 3, 4 T5	4'	AC48G1 = 1" Grid	UNV = Universal (120/277)	1C = Single Circuit 2C = Dual Circuit	W = White	QS = Quick Ship ²
			1, 2, 3, 4T5HO	8'	AC48G9 = 9/16" Grid				
			1, 2, 3, 4 T8	12'	AC48GS = Screw Slot				
			Continuous		AC48JB = Junction Box AC48ST = Structure				
	GLIDE Center Lens	G9A	1, 2, 3 T5	4'	AC48G1 = 1" Grid	UNV = Universal (120/277)	1C = Single Circuit 2C = Dual Circuit	W = White	QS = Quick Ship ²
			1, 2, 3 T5HO	8'	AC48G9 = 9/16" Grid				
			1, 2, 3 T8	Continuous	AC48GS = Screw Slot				
					AC48JB = Junction Box AC48ST = Structure				





¹ 500 ft or less per order. Shipment is 10 days from receipt of released purchase order. Pinnacle Lighting will fax Order Acknowledgement. Revisions made to Quick Ship orders will impact the ship date. Quick Ship items must be on their own purchase orders.

² QS must be entered at the end of part number to qualify for shipment in 10 days. Orders submitted without QS will be entered with a standard lead-time.

³ Pinnacle Lighting standard ballast utilized with Quick Ship products. See specification sheets for additional information.

All Quick Ship orders must be submitted with QS at the end of the part number. Orders without QS in the part number will be entered with a standard lead-time order.

SUSPENDED LUMINAIRES¹

		Housing	Lamp	Length	AC Mounting	Voltage ³	Circuiting/Wiring	Finish	Options
	GLIDE Side Windows	G9W	2, 3, 4 T5	4'	AC48G1 = 1" Grid	UNV = Universal (120/277)	1C = Single Circuit 2C = Dual Circuit	W = White	QS = Quick Ship ²
			2, 3, 4 T5HO	8'	AC48G9 = 9/16" Grid				
			2, 3, 4 T8	12'	AC48GS = Screw Slot				
			Continuous		AC48JB = Junction Box AC48ST = Structure				
	GLIDE Curved Baffle	G9C	1, 2, 3 T5	4'	AC48G1 = 1" Grid	UNV = Universal (120/277)	1C = Single Circuit 2C = Dual Circuit	W = White	QS = Quick Ship ²
			1, 2, 3 T5HO	8'	AC48G9 = 9/16" Grid				
			1, 2, 3 T8	12'	AC48GS = Screw Slot				
			Continuous		AC48JB = Junction Box AC48ST = Structure				
	RIDGE with Parabolic Louver	R9P	1, 2, 3 T5	4'	AC48G1 = 1" Grid	UNV = Universal (120/277)	1C = Single Circuit 2C = Dual Circuit	W = White	QS = Quick Ship ²
			1, 2, 3 T5HO	8'	AC48G9 = 9/16" Grid				
			1, 2, 3 T8	12'	AC48GS = Screw Slot				
			Continuous		AC48JB = Junction Box AC48ST = Structure				
	RIDGE ² with Parabolic Louver	RS9P	1, 2, 3 T5	4'	AC48G1 = 1" Grid	UNV = Universal (120/277)	1C = Single Circuit 2C = Dual Circuit	W = White	QS = Quick Ship ²
			1, 2, 3 T5HO	8'	AC48G9 = 9/16" Grid				
			1, 2, 3 T8	12'	AC48GS = Screw Slot				
			Continuous		AC48JB = Junction Box AC48ST = Structure				


¹ 500 ft or less per order. Shipment is 10 days from receipt of released purchase order. Pinnacle Lighting will fax Order Acknowledgement. Revisions made to Quick Ship orders will impact the ship date. Quick Ship items must be on their own purchase orders.


² QS must be entered at the end of part number to qualify for shipment in 10 days. Orders submitted without QS will be entered with a standard lead-time.

³ Pinnacle Lighting standard ballast utilized with Quick Ship products. See specification sheets for additional information.


All Quick Ship orders must be submitted with QS at the end of the part number. Orders without QS in the part number will be entered with a standard lead-time order.


SUSPENDED LUMINAIRES¹

	Housing	Lamp	Length	AC Mounting	Voltage ³	Circuiting/Wiring	Finish	Options
	R9A	1, 2, 3 T5	4'	AC48G1 = 1" Grid	UNV = Universal (120/277)	1C = Single Circuit 2C = Dual Circuit	W = White	QS = Quick Ship ²
		1, 2, 3 T5HO	8'	AC48G9 = 9/16" Grid				
		1, 2, 3 T8	12'	AC48GS = Screw Slot				
		Continuous		AC48JB = Junction Box AC48ST = Structure				

	RS9A	1, 2, 3 T5	4'	AC48G1 = 1" Grid	UNV = Universal (120/277)	1C = Single Circuit 2C = Dual Circuit	W = White	QS = Quick Ship ²
		1, 2, 3 T5HO	8'	AC48G9 = 9/16" Grid				
		1, 2, 3 T8	12'	AC48GS = Screw Slot				
		Continuous		AC48JB = Junction Box AC48ST = Structure				

RECESSED LUMINAIRES¹

	Housing	Lamp	Length	AC Mounting	Voltage ³	Circuiting/Wiring	Finish	Options
	E4A	1, 2 T5	4' Individual	G1G = 1" Grid	Universal (120/277)	1C = Single Circuit 2C = Dual Circuit	W = White	QS = Quick Ship ² CP = Chicago Plenum
		1, 2 T5HO	Unit Only	FLF = Flanged				
		1, 2 T8	Units cannot be joined together					


	E4P	1, 2 T5	4' Individual	G1G = 1" Grid	Universal (120/277)	1C = Single Circuit 2C = Dual Circuit	W = White	QS = Quick Ship ² CP = Chicago Plenum
		1, 2 T5HO	Unit Only	FLF = Flanged				
		1, 2 T8	Units cannot be joined together					

¹ 500 ft or less per order. Shipment is 10 days from receipt of released purchase order. Pinnacle Lighting will fax Order Acknowledgement. Revisions made to Quick Ship orders will impact the ship date. Quick Ship items must be on their own purchase orders.




² QS must be entered at the end of part number to qualify for shipment in 10 days. Orders submitted without QS will be entered with a standard lead-time.

³ Pinnacle Lighting standard ballast utilized with Quick Ship products. See specification sheets for additional information.

RECESSED LUMINAIRES¹

	Housing	Lamp	Length	AC Mounting	Voltage ⁴	Circuiting/Wiring	Finish	Options
	EDGE Wall Wash	EW 1T5 1T5HO	4' Individual Unit Only	G1G = 1" Grid FLF = Flanged	Universal (120/277)	1C = Single Circuit 2C = Dual Circuit	W = White	QS = Quick Ship ³ CP = Chicago Plenum
Units cannot be joined together								

CONVERJ RECESSED LUMINAIRES²

	Housing	Lamp	Mounting	Voltage ⁴	Circuiting/Wiring	Finish	Options
	Converj 2x2	CJ22 1, 2 BX40 1, 2 BX55 1, 2, 3 T5 1, 2, 3 T5HO 1, 2, 3 T8	G1 = 1" Grid G9 = 9/16" Grid GS = Screw Slot	Universal (120/277)	1C = Single Circuit 2C = Dual Circuit	W = White	QS = Quick Ship ³ CP = Chicago Plenum
	Converj 2x4	CJ24 1, 2, 3 T5 1, 2, 3 T5HO 1, 2, 3 T8	G1 = 1" Grid G9 = 9/16" Grid GS = Screw Slot	Universal (120/277)	1C = Single Circuit 2C = Dual Circuit	W = White	QS = Quick Ship ³ CP = Chicago Plenum
	Converj 1x4	CJ14 1, 2, 3 T5 1, 2, 3 T5HO 1, 2, 3 T8	G1 = 1" Grid G9 = 9/16" Grid GS = Screw Slot	Universal (120/277)	1C = Single Circuit 2C = Dual Circuit	W = White	QS = Quick Ship ³ CP = Chicago Plenum


¹ 500 ft or less per order. Shipment is 10 days from receipt of released purchase order. Pinnacle Lighting will fax Order Acknowledgement. Revisions made to Quick Ship orders will impact the ship date. Quick Ship items must be on their own purchase orders.


² Converj = 200 units or less per order. Edge = maximum is 100 units or less per order. Shipment is 10 days from receipt of released purchase order. Pinnacle Lighting will fax Order Acknowledgement. Revisions made to Quick Ship orders will impact the ship date. Quick Ship items must be on their own purchase orders.


³ QS must be entered at the end of part number to qualify for shipment in 10 days. Orders submitted without QS will be entered with a standard lead-time.

⁴ Pinnacle Lighting standard ballast utilized with Quick Ship products. See specification sheets for additional information.


ADEO RECESSED LUMINAIRES¹

	Housing	Lamps ²	Mounting	Voltage ³	Circuiting/Wiring	Finish	Options
	Adeo & Adeo Shallow 2x2	Adeo AD22A, AS22A Adeo Shallow AD22R, AS22R AD22L, AS22L AD22B, AS22B AD22BF, AS22BF	1, 2, 3 T5 1, 2, 3 T5HO	G1 = 1" Grid G9 = 9/16" Grid GS = Screw Slot	Universal (120/277)	1C = Single Circuit 2C = Dual Circuit ⁵	W = White QS = Quick Ship ⁴ CP = Chicago Plenum

	Adeo & Adeo Shallow 2x4	Adeo AD24A, AS24A Adeo Shallow AD24R, AS24R AD24L, AS24L AD24B, AS24B AD24BF, AS24BF	1, 2, 3 T5 1, 2, 3 T5HO	G1 = 1" Grid G9 = 9/16" Grid GS = Screw Slot	Universal (120/277)	1C = Single Circuit 2C = Dual Circuit	W = White QS = Quick Ship ⁴ CP = Chicago Plenum
----------------------------------------------------------------------------------	-------------------------	--------------------------------------------------------------------------------------------------	----------------------------	----------------------------------------------------	---------------------	------------------------------------------	------------------------------------------------------------------

	Adeo & Adeo Shallow 1x4	Adeo AD14A, AS14A Adeo Shallow AD14R, AS14R AD14L, AS14L AD14B, AS14B AD14BF, AS14BF	1, 2 T5 1, 2 T5HO	G1 = 1" Grid G9 = 9/16" Grid GS = Screw Slot	Universal (120/277)	1C = Single Circuit 2C = Dual Circuit	W = White QS = Quick Ship ⁴ CP = Chicago Plenum
----------------------------------------------------------------------------------	-------------------------	--------------------------------------------------------------------------------------------------	----------------------	----------------------------------------------------	---------------------	------------------------------------------	------------------------------------------------------------------

COVE LUMINAIRES¹

	Housing	Lamp	Length	Voltage ³	Circuiting/Wiring	Finish	Options
	COVE 105 and COVE 130	C105 C130	1, 2 T5 1, 2 T5HO 1, 2 T8 6' 8'	Universal (120/277)	1C = Single Circuit 2C = Dual Circuit	N = Natural	QS = Quick Ship ⁴

¹ Adeo = 200 units or less per order. Cove 105 = 500 ft or less per order. Shipment is 10 days from receipt of released purchase order. Pinnacle Lighting will fax Order Acknowledgement. Revisions made to Quick Ship orders will impact the ship date. Quick Ship items must be on their own purchase orders.

² 2T5/T5HO lamping only for Adeo Shallow.

³ Pinnacle Lighting standard ballast utilized with Quick Ship products. See specification sheets for additional information.

⁴ QS must be entered at the end of part number to qualify for shipment in 10 days. Orders submitted without QS will be entered with a standard lead-time.

⁵ Dual Circuit not available on AS22.