



LED Driver and Power Supplies

eldoLED

	Product Description	Not Available with
ED1	eldoLED DUALdrive 0%, DALI Logarithmic, for Tunable White	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths, Tesa
ED2	eldoLED DUALdrive 0%, DALI Linear, for Tunable White	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths, Tesa
ED3	eldoLED DUALdrive 0%, DALI Logarithmic, Type 8	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths, Tesa
ED4	eldoLED DUALdrive 0%, DALI Linear, Type 8	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths, Tesa
EE1	eldoLED ECOdrive 1%, 0-10v Logarithmic	Tesa (most wattages)
EE2	eldoLED ECOdrive 1%, 0-10v Linear	Tesa (most wattages)
EE3	eldoLED ECOdrive 1%, DALI Logarithmic	Tesa (most wattages)
EE4	eldoLED ECOdrive 1%, DALI Linear	Tesa (most wattages)
EE6	eldoLED ECOdrive 1%, for nLight Air Wireless	Tesa
ES1	eldoLED SOLOdrive 0%, 0-10v Logarithmic	Tesa (most wattages)
ES2	eldoLED SOLOdrive 0%, 0-10v Linear	Tesa (most wattages)
ES3	eldoLED SOLOdrive 0%, DALI Logarithmic	Tesa (most wattages)
ES4	eldoLED SOLOdrive 0%, DALI Linear	Tesa (most wattages)
ES6	eldoLED SOLOdrive 0%, for nLight Air Wireless	Tesa
ES7	eldoLED SOLOdrive 0%, 0-10v for Warm Dim	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths, Tesa
ES8	eldoLED SOLOdrive 0%, DALI for Warm Dim	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths, Tesa

ERP

EL1	ERP Power 1%, 0-10v	Adeo/Converj/Lucen; Fina 14, 18, 24
ER1	ERP Power 1%, 0-10v	
EH1	ERP Power 1%, Line Voltage and ELV 120v only, 0-10v universal	

Lutron

L51	Lutron 5-Series 5%, EcoSystem, LDE5	Qivi Recessed 2' lengths
LH1	Lutron Hi-lume Soft-on, Fade-to-black 1%, EcoSystem, LDE1	Qivi Recessed 2' lengths
LH4	Lutron Hi-lume 1%, 2-wire, Lutron-LTEA2W, 120v only	Adeo, Lucen, Converj, Tesa; Qivi Recessed 2' lengths
LT1	Lutron T-Series 1%, PSQ02U, for Tunable White	



LED Driver and Power Supplies

Osram

	Product Description	Not Available with
OD1	Osram Optronics 1%, DEXAL	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths
OD2	Osram Optronics 1%, DALI 2 Channel	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths
OD3	Osram Optronics 1%, DEXAL 2 Channel	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths
OL1	Osram Optronics 10%, 0-10v	
OL2	Osram Optronics 1%, 0-10v	
OL3	Osram Optronics 347v 10%, 0-10v, requires 347v option	Qivi Suspended 1' lengths
OL4	Osram Optronics 347v 1%, 0-10v, requires 347v option	Qivi Suspended 1' lengths
OL5	Osram Optronics 1%, 0-10v, AUX	
OL6	Osram Optronics 347v 1%, 0-10v, AUX, requires 347v	Qivi Suspended 1' lengths

Philips

PD1	Philips Advance Xitanium 5%, DALI	Philips Advance Xitanium 5%, DALI
PL2	Philips Advance Xitanium 1%, 0-10v	Philips Advance Xitanium 1%, 0-10v
PL4	Philips Advance Xitanium 1%, 0-10v	Philips Advance Xitanium 1%, 0-10v
PM3	Philips Advance Mark 10 5%, Line, 120v or 277v required	Philips Advance Mark 10 5%, Line, 120v or 277v required
PR1	Philips Advance Xitanium SR, requires EASYS, VDO or VRF	Philips Advance Xitanium SR, requires EASYS, VDO or VRF
PS1	Philips Advance Xitanium Step Dimming 50%/100%	Philips Advance Xitanium Step Dimming 50%/100%



LED Batteries

Iota		
	Product Description	Not Available with
I	Iota 10w Integral	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1; Edge 2; Edge 1' or 2' lengths; Edge EVL; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Linero; Tesa
IC	Iota 10w Integral	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1; Edge 2; Edge 1' or 2' lengths; Edge EVL; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Linero; Tesa
IL	Iota 10w Integral <i>low profile</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1', 2', 3' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Tesa
ILL	Iota 10w Integral Lithium <i>Self Testing low profile</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1', 2', 3' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths
IH	Iota 12w Integral	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1; Edge 2; Edge 1' or 2' lengths; Edge EVL; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Linero; Tesa
ILH	Iota 12w Integral <i>low profile</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1', 2', 3' lengths; Edge EVL 2', 3', 4' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Tesa
IIL	Iota 7w Integral	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1; Edge 2; Edge 1' or 2' lengths; Edge EVL; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Linero; Tesa
IR	Iota 10w Remote	
IRC	Iota 10w Remote	
IRH	Iota 20w Remote	

Philips		
	Product Description	Not Available with
P	Bodine 10w Integral	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1; Edge 2; Edge 1' or 2' lengths; Edge EVL; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Linero; Tesa
PL	Bodine 10w Integral <i>low profile</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1', 2', 3' lengths; Edge EVL 2', 3', 4' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Tesa
PRL	Bodine 7w Remote	
PB	Bodine 10w Integral	Adeo/Converj/Lucen/Lift 1x1; Fina 14; Edge 1; Edge 2; Edge 1' or 2' lengths; Edge EVL; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Linero; Tesa
PRS	Bodine 7w Remote <i>Self Testing</i>	
PS	Bodine 10w Integral <i>Self Testing low profile</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1', 2', 3' lengths; Edge EVL 2', 3', 4' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Tesa
PRH	Bodine 20w Remote	
PR	Bodine 10w Remote	
PRC	Bodine 14w Remote <i>Cold Weather requires conduit</i>	
PLL	Bodine 10w Integral Lithium <i>Self Testing low profile</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1', 2', 3' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths