



## LED Driver and Power Supplies

### eldoLED

	Product Description	Not Available with
<b>ED1</b>	eldoLED DUALdrive 0%, DALI Logarithmic, for Tunable White	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths, Tesa
<b>ED2</b>	eldoLED DUALdrive 0%, DALI Linear, for Tunable White	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths, Tesa
<b>ED3</b>	eldoLED DUALdrive 0%, Logarithmic, Type 8	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths, Tesa
<b>ED4</b>	eldoLED DUALdrive 0%, Linear, Type 8	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths, Tesa
<b>EE1</b>	eldoLED ECOdrive 1%, 0-10v Logarithmic	Tesa (most wattages)
<b>EE2</b>	eldoLED ECOdrive 1%, 0-10v Linear	Tesa (most wattages)
<b>EE3</b>	eldoLED ECOdrive 1%, DALI Logarithmic	Tesa (most wattages)
<b>EE4</b>	eldoLED ECOdrive 1%, DALI Linear	Tesa (most wattages)
<b>EE6</b>	eldoLED ECOdrive 1%, for nLight Air Wireless	Tesa
<b>ES1</b>	eldoLED SOLOdrive 0%, 0-10v Logarithmic	Tesa (most wattages)
<b>ES2</b>	eldoLED SOLOdrive 0%, 0-10v Linear	Tesa (most wattages)
<b>ES3</b>	eldoLED SOLOdrive 0%, DALI Logarithmic	Tesa (most wattages)
<b>ES4</b>	eldoLED SOLOdrive 0%, DALI Linear	Tesa (most wattages)
<b>ES6</b>	eldoLED SOLOdrive 0%, for nLight Air Wireless	Tesa
<b>ES7</b>	eldoLED SOLOdrive 0%, 0-10v for Warm Dim	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths, Tesa
<b>ES8</b>	eldoLED SOLOdrive 0%, DALI for Warm Dim	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths, Tesa

### ERP

<b>EL1</b>	ERP Power 1%, 0-10v	Adeo/Converj/Lucen; Fina 14, 18, 24
<b>ER1</b>	ERP Power 1%, 0-10v	
<b>EH1</b>	ERP Power 1%, 0-10v, Line Voltage, 120v	

### Lutron

<b>L51</b>	Lutron 5-Series 5%, EcoSystem, LDE5	Qivi Recessed 2' lengths
<b>LH1</b>	Lutron Hi-lume Soft-on, Fade-to-black 1%, EcoSystem, LDE1	Qivi Recessed 2' lengths
<b>LH4</b>	Lutron Hi-lume 1%, 2-wire, Lutron-LTEA2W, 120v only	Adeo, Lucen, Converj, Tesa; Qivi Recessed 2' lengths
<b>LT1</b>	Lutron T-Series 1%, PSQ02U, for Tunable White	



## LED Driver and Power Supplies

### Osram

	Product Description	Not Available with
<b>OD1</b>	Osram Optronics 1%, DEXAL	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths
<b>OD2</b>	Osram Optronics 1%, DALI 2 Channel	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths
<b>OD3</b>	Osram Optronics 1%, DEXAL 2 Channel	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths
<b>OL1</b>	Osram Optronics 10%, 0-10v	
<b>OL2</b>	Osram Optronics 1%, 0-10v	
<b>OL3</b>	Osram Optronics 347v 10%, 0-10v, requires 347v option	Qivi Suspended 1' lengths
<b>OL4</b>	Osram Optronics 347v 1%, 0-10v, requires 347v option	Qivi Suspended 1' lengths
<b>OL5</b>	Osram Optronics 1%, 0-10v, AUX	
<b>OL6</b>	Osram Optronics 347v 1%, 0-10v, AUX, requires 347v	Qivi Suspended 1' lengths

### Philips

<b>PD1</b>	Philips Advance Xitanium 5%, DALI	Philips Advance Xitanium 5%, DALI
<b>PL2</b>	Philips Advance Xitanium 1%, 0-10v	Philips Advance Xitanium 1%, 0-10v
<b>PL4</b>	Philips Advance Xitanium 1%, 0-10v	Philips Advance Xitanium 1%, 0-10v
<b>PM3</b>	Philips Advance Mark 10 5%, Line, 120v or 277v required	Philips Advance Mark 10 5%, Line, 120v or 277v required
<b>PR1</b>	Philips Advance Xitanium SR, requires EASYS, VDO or VRF	Philips Advance Xitanium SR, requires EASYS, VDO or VRF
<b>PS1</b>	Philips Advance Xitanium Step Dimming 50%/100%	Philips Advance Xitanium Step Dimming 50%/100%



## LED Batteries

Iota		
	Product Description	Not Available with
<b>I</b>	Iota 10w Integral	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1; Edge 2; Edge 1' or 2' lengths; Edge EVL; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Linero; Tesa
<b>IC</b>	Iota 10w Integral	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1; Edge 2; Edge 1' or 2' lengths; Edge EVL; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Linero; Tesa
<b>IL</b>	Iota 10w Integral <i>low profile</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1', 2', 3' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Tesa
<b>ILL</b>	Iota 10w Integral Lithium <i>Self Testing low profile</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1', 2', 3' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths
<b>IH</b>	Iota 12w Integral	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1; Edge 2; Edge 1' or 2' lengths; Edge EVL; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Linero; Tesa
<b>ILH</b>	Iota 12w Integral <i>low profile</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1', 2', 3' lengths; Edge EVL 2', 3', 4' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Tesa
<b>IIL</b>	Iota 7w Integral	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1; Edge 2; Edge 1' or 2' lengths; Edge EVL; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Linero; Tesa
<b>IR</b>	Iota 10w Remote	
<b>IRC</b>	Iota 10w Remote	
<b>IRH</b>	Iota 20w Remote	

Philips		
	Product Description	Not Available with
<b>P</b>	Bodine 10w Integral	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1; Edge 2; Edge 1' or 2' lengths; Edge EVL; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Linero; Tesa
<b>PL</b>	Bodine 10w Integral <i>low profile</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1', 2', 3' lengths; Edge EVL 2', 3', 4' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Tesa
<b>PRL</b>	Bodine 7w Remote	
<b>PB</b>	Bodine 10w Integral	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1; Edge 2; Edge 1' or 2' lengths; Edge EVL; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Linero; Tesa
<b>PRS</b>	Bodine 7w Remote <i>Self Testing</i>	
<b>PS</b>	Bodine 10w Integral <i>Self Testing low profile</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1', 2', 3' lengths; Edge EVL 2', 3', 4' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Tesa
<b>PRH</b>	Bodine 20w Remote	
<b>PR</b>	Bodine 10w Remote	
<b>PRC</b>	Bodine 14w Remote <i>Cold Weather requires conduit</i>	
<b>PLL</b>	Bodine 10w Integral Lithium <i>Self Testing low profile</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1', 2', 3' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths