

Driver + Battery Guide

LED Driver + Power Supplies

eldoLED		
	Product Description	Not Available With
ED1	eldoLED DUALdrive 0% <i>DALI Logarithmic, for Tunable White</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths
ED2	eldoLED DUALdrive 0% <i>DALI Linear, for Tunable White</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge/Qivi Recessed 2' lengths; Qivi Suspended 1' lengths
EE1	eldoLED ECOdrive 1% <i>0-10v Logarithmic</i>	
EE2	eldoLED ECOdrive 1% <i>0-10v Linear</i>	
EE3	eldoLED ECOdrive 1% <i>DALI Logarithmic</i>	
EE4	eldoLED ECOdrive 1% <i>DALI Linear</i>	
EE6	eldoLED ECOdrive 1% <i>for nLight Air Wireless</i>	
ES1	eldoLED SOLOdrive 0% <i>0-10v Logarithmic</i>	
ES2	eldoLED SOLOdrive 0% <i>0-10v Linear</i>	
ES3	eldoLED SOLOdrive 0% <i>DALI Logarithmic</i>	
ES4	eldoLED SOLOdrive 0% <i>DALI Linear</i>	
ES6	eldoLED SOLOdrive 0% <i>for nLight Wireless</i>	
Lutron		
	Product Description	Not Available With
L51	Lutron 5-Series 5% <i>EcoSystem, LDE5</i>	Qivi Recessed 2' lengths
LH1	Lutron Hi-lume Soft-on 1% <i>Fade-to-black EcoSystem, LDE1</i>	Qivi Recessed 2' lengths
LH4	Lutron Hi-lume 1%, 2-wire <i>LTEA2W, requires 120v</i>	Adeo, Lucen, Converj, Tesa; Qivi Recessed 2' lengths

Driver + Battery Guide

Osram		
	Product Description	Not Available With
OD1	Osram Optronic 1%, <i>DEXAL</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths
OD2	Osram Optronic 1%, <i>DALI 2 Channel</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths
OD3	Osram Optronic 1%, <i>DEXAL 2 Channel</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths
OL1	Osram Optronic 10%, <i>0-10v</i>	
OL2	Osram Optronic 1%, <i>0-10v</i>	
OL3	Osram Optronic 347v 10%, <i>0-10v, requires 347v</i>	Qivi Suspended 1' lengths
OL4	Osram Optronic 347v 1%, <i>0-10v, requires 347v</i>	Qivi Suspended 1' lengths
OL5	Osram Optronic 1%, <i>0-10v, AUX</i>	
Philips		
	Product Description	Not Available With
PD1	Advance Xitanium 5%, <i>DALI</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths
PL2	Advance Xitanium 1%, <i>0-10v</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths
PM3	Advance Mark 10 5%, Line, <i>Requires 120v or 277v</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths
PR1	Advance Xitanium SR, <i>Requires EASYS, VDO or VRF</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths
PS1	Advance Xitanium Step Dimming <i>50%/100%</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths

Driver + Battery Guide

LED Batteries

Iota		
	Product Description	Not Available With
I	Iota 10w <i>Integral</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1; Edge 2; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Linero; Tes
IC	Iota 10w <i>Integral (CEC listed)</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1; Edge 2; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Linero; Tes
IL	Iota 10w <i>Integral (low profile)</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1, 2', 3' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Tes
IH	Iota 12w <i>Integral</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1; Edge 2; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Linero; Tes
ILH	Iota 12w <i>Integral (low profile)</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1, 2', 3' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Tes
IIL	Iota 7w <i>Integral</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1; Edge 2; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Linero; Tes
IR	Iota 10w <i>Remote</i>	
IRH	Iota 20w <i>Remote</i>	
Philips		
	Product Description	Not Available With
P	Bodine 10w Integral <i>(CEC listed)</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1; Edge 2; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Linero; Tes
PL	Bodine 10w Integral <i>(CEC listed, low profile)</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1, 2', 3' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Tes
PRL	Bodine 7w Remote <i>(CEC listed)</i>	
PB	Bodine 10w Integral <i>(CEC listed)</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1; Edge 2; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Linero; Tes
PRS	Bodine 7w Remote Self Testing <i>(CEC listed)</i>	
PS	Bodine 10w Integral Self Testing <i>(CEC listed, low profile)</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1, 2', 3' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Tes
PRH	Bodine 20w Remote <i>(CEC listed)</i>	
PR	Bodine 10w Remote <i>(CEC listed)</i>	
PRC	Bodine 10w <i>Remote Cold Weather</i>	
PLL	Bodine 10w Integral Lithium Self Testing <i>(CEC listed, low profile)</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1, 2', 3' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Tes

Driver + Battery Guide

Acuity		
	Product Description	Not Available With
A	Acuity Power Sentry 10w Integral <i>(CEC listed, for use with eldoLED LED drivers)</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1; Edge 2; Edge 1' or 2' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Linero; Tesa
AL	Acuity Power Sentry 10w Integral <i>(CEC listed, low profile, for use with eldoLED LED drivers)</i>	Adeo/Converj/Lucen/Lift 1x1; Fina 14, 18, 24; Edge 1; 2; 3' lengths; Qivi Recessed 2' lengths; Qivi Suspended 1' lengths; Tesa